



2XLCT AB TYPE
SPANNER LINK

BLANK #	HEX		RADIUS
	INCH	METRIC	
1	7/8	22	.76
2	15/16-1 1/8	23-27	.90
3	1 3/16-1 1/4	28-32	.97
4	1 5/16-1 1/2	33-36	1.08
5	1 9/16-1 5/8	37-41	1.23
6	1 11/16-1 7/8	42-46	1.37
7	1 15/16-2 3/16	47-55	1.52
8	2 1/4-2 3/8	56-60	1.63




4XLCT AB TYPE
SPANNER LINK

BLANK #	HEX		RADIUS
	INCH	METRIC	
1	1 7/16	36	1.18
2	1 1/2-1 5/8	37-41	1.29
3	1 11/16-1 13/16	42-46	1.40
4	1 7/8-2"	47-50	1.51
5	2 1/16-2 3/16	51-55	1.62
6	2 1/4-2 3/8	56-60	1.77
7	2 7/16-2 9/16	61-65	1.84
8	2 5/8-2 3/4	66-70	1.95
9	2 13/16-2 15/16	71-75	2.05
10	3-3 1/8	76-80	2.18



8XLCT AB TYPE
SPANNER LINK

BLANK #	HEX		RADIUS
	INCH	METRIC	
1	2"	50	1.58
2	2 1/16-2 3/16	51-55	1.69
3	2 1/4-2 3/8	56-60	1.80
4	2 7/16-2 9/16	61-65	1.91
5	2 5/8-2 3/4	66-70	2.02
6	2 13/16-2 15/16	71-75	2.14
7	3-3 1/8	76-80	2.25
8	3 3/16-3 3/8	81-85	2.37
9	3 7/16-3 1/2	86-90	2.48
10	3 9/16-3 3/4	91-95	2.60
11	3 13/16-3 15/16	96-100	2.70



14XLCT AB TYPE
SPANNER LINK

BLANK #	HEX		RADIUS
	INCH	METRIC	
1	2 3/4	70	2.11
2	2 13/16-2 15/16	71-75	2.22
3	3-3 1/8	76-80	2.34
4	3 3/16-3 3/8	81-85	2.47
5	3 7/16-3 1/2	86-90	2.57
6	3 9/16-3 3/4	91-95	2.69
7	3 13/16-3 15/16	96-100	2.79
8	4"-4 1/8	101-105	2.91
9	4 3/16-4 5/16	106-110	3.02
10	4 3/8-4 5/8	111-120	3.25